



COMPLETE NETWORK BIBLIOGRAPHY

Clinical Research Unit – University of Maryland

Publications:

- ^{1,2} 1. Tacket CO, Levine MM. CVD 908, CVD 908-htrA, and CVD 909 live oral typhoid vaccines: A logical progression. *Clinical Infectious Diseases*. 2007; 45(suppl 1):S20-S23.

Immunology Research Unit – University of Maryland

Publications:

- ² 1. Adekar SP, Elias MD, Al-Saleem FH, Root MJ, Simpson LL, Dessain SK. A human monoclonal antibody that binds serotype A botulinum neurotoxin. *Hybridoma*. 2008; 11-17.
- ² 2. Adekar SP, Jones RM, Elias MD, Al-Saleem FH, Root MJ., Simpson LL, Dessain SK. Hybridoma populations enriched for affinity-matured human IgGs yield high-affinity antibodies specific for botulinum neurotoxins. *J. Immunol. Meth*. 2008; 333:156-166.
- ² 3. Adekar SP, Al-Saleem FH, Elias MD, Rybinski K, Simpson LL, Dessain SK. A natural human IgM antibody that neutralizes botulinum neurotoxin *in vivo*. *Hybridoma*. 2008; 27(2):65-69.
- ² 4. Ahsan CR, Hajnoczky G, Maksymowych AB, Simpson LL. Visualization of binding and transcytosis of botulinum toxin by human intestinal epithelial cells. *Journal of Pharmacology and Experimental Therapeutics*. December 2005; 315(3):1028-1035.
- ² 5. Al-Saleem FH, Ancharski DM, Ravichandran E, Joshi SG, Singh AK, Gong Y, Simpson LL. The role of systemic handling in the pathophysiologic actions of botulinum toxin. *J Pharmacol Exp Ther*. 2008; 326(3) 856-863.
- ² 6. Awomoyi AA, Rallabhandi P, Pollin TI, Lorenz E, Sztejn MB, Boukhvalova MS, Hemming VG, Blanco JC, Vogel SN. Association of TLR4 polymorphisms with symptomatic respiratory syncytial virus infection in high-risk infants and young children. *Journal of Immunology*. 2007; 179(5):3171-3177.
- ² 7. Corbett CR, Elias MD, Simpson LL, Cassan RR, Yuan X, Ballegar E, Kabani A, Plummer FA, Jerry JD. High-throughput homogeneous immunoassay readily identifies monoclonal antibody to serovariant clostridial neurotoxins. *Journal of Immunological Methods*. 2007; 328:128-138.
- ² 8. Corbett CR, Ballegeer E, Singh AK, Simpson LL, Berry JD. Development of MAb to the binding domains of botulinum neurotoxin B or E using a sequential immunization strategy: anti-botulinum neurotoxin. *Hybridoma*. 2007; 26:437-438.

¹ Included in 2007 Contract Review

² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Immunology Research Unit – University of Maryland

- ² 9. Maksymowych AB, Simpson LL. Structural features of the botulinum neurotoxin molecule that govern binding and transcytosis across polarized human intestinal epithelial cells. *Journal of Pharmacology and Experimental Therapeutics*. August 2004; 310(2): 633-641.
- ² 10. Pasetti MF, Cuberos L, Horn TL, Shearer JD, Matthews SJ, House RV, Sztein MB. An improved *francisella tularensis* live vaccine strain (LVS) formulation is well tolerated and highly immunogenic when administered to rabbits in escalating doses using various immunization routes. *Vaccine*. 2008; 26:1773-1785.
- ² 11. Rallabhandi P, Awomoyi AA, Thomas KE, Phalipon A, Fujimoto Y, Fukase K, Kusumoto S, Qureshi N, Sztein MB, Vogel SN. Differential activation of human TLR4 by *E. coli* and *S. flexneri* 2a lipopolysaccharide: Effects of lipid acylation state and TLR4 polymorphisms on signaling. *Journal of Immunology*. 2008; 180:1139-1147.
- ^{1,2} 12. Ravichandran E, Gong Y, Al-Saleem FH, Ancharski DM, Joshi SG, Simpson LL. An initial assessment of the systemic pharmacokinetics of botulinum toxin. *Journal of Pharmacology and Experimental Therapeutics*. September 2006; 318(3):1343-1351.
- ² 13. Ravichandran E, Al-Saleem FH, Ancharski DM, Elias MD, Singh A, Shamim M, Gong Y, Simpson LL. A trivalent vaccine against botulinum toxin (serotypes A, B, and E) that can be administered by the mucosal route. *Infection and Immunity*. 2007; 75(6): 3043-3054.
- ² 14. Sztein MB. Cell-mediated immunity and antibody responses elicited by attenuated *Salmonella enterica* Typhi strains used as live oral vaccines in humans. *Clinical Infectious Diseases*. July 2007; 45(S1):S15-S19.
- ² 15. Tacket CO, Pasetti MF, Sztein MB, Livio S, Levine MM. Immune responses to an oral typhoid vaccine strain that is modified to constitutively to express Vi capsular polysaccharide. *Journal of Infectious Diseases*. August 1, 2004; 190(3):565-570.
- ² 16. Wahid R, Salerno-Goncalves R, Tacket CO, Levine MM, Sztein MB. Generation of specific effector and memory T cells with gut and secondary lymphoid tissues homing potential by oral attenuated CVD 909 typhoid vaccine in humans. *Mucosal Immunology*. 2008.
- ^{1,2} 17. Wahid R, Salerno-Goncalves R, Tacket CO, Levine MM, Sztein MB. Cell-mediated immune responses in humans after immunization with one and two doses of oral live attenuated typhoid vaccine CVD 909. *Vaccine*. February 9, 2007; 25(8):1416-1425.
- ² 18. Zeng M, Xu Q, Elias M, Pichichero ME, Simpson LL, Smith LA. Protective immunity against botulism provided by a single dose vaccination with an adenovirus-vectored vaccine. *Vaccine*. October 2007; 25:7540-7548.

¹ Included in 2007 Contract Review

² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Microbiology Research Unit – Michigan State University

Publications - Abstracts:

- ^{1,2} 1. Eaton KA, Whittam TS, Francis GJ, Wu V, Benson L. A germ-free mouse model of renal disease due to enterohemorrhagic *Escherichia coli*. *Veterinary Pathology*. September 2006; 43:863.
- ² 2. Mansfield LS, Bell JA, Wilson DL, Murphy AJ, Fierro BR, Rathinam VA, Young VB. C57BL/6 mice and their IL-10 knockout (KO) can serve as models of *Campylobacter jejuni* colonization and enteritis. *The Keystone Symposia: Determinants of Host Resistance, Susceptibility or Immunopathology to Pathogens: Integrating Knowledge from Experimental Models to Human Disease (J2), Abstract Book*. Keystone, CO. January 6-10, 2006; 119.

Publications - Manuscripts:

- ^{1,2} 1. Arshad MM, Asmar HA, Rahbar MH, Bouton ML, Wells E, Wilkins MJ, Saeed AM. Risk factors for *Salmonella* Oranienburg outbreak in a nursing home in Michigan. *Journal of the American Geriatrics Society*. April 2006; 54(4):715-717.
- ² 2. Arshad MM, Wilkins MJ, Downes FP, Rahbar MH, Erskine RJ, Boulton ML, Saeed AM. A registry-based study on the association between human salmonellosis and routinely collected parameters in Michigan, 1995-2001. *Foodborne Pathogens and Disease*. Spring 2007; 4(1):16-25.
- ² 3. Arshad MM, Wilkins MJ, Downes FP, Rahbar MH, Erskine RJ, Boulton ML, Younus MW, Saeed AM. Epidemiology of infant salmonellosis in Michigan: Records of 1995-2001. *Journal of Pediatric Infectious Diseases*. 2007; 2(2):89-94.
- ² 4. Arshad MM, Wilkins MJ, Downes FP, Rahbar MH, Erskine RJ, Boulton ML, Younus MW, Saeed AM. Epidemiologic attributes of invasive non-typhoidal *Salmonella* infections in Michigan, 1995-2001. *International Journal of Infectious Diseases*. March 2008; 12(2):176-182.
- ^{1,2} 5. Besser TE, Shaikh N, Holt NJ, Tarr PI, Konkel ME, Malik-Kale P, Walsh CW, Whittam TS, Bono J. Greater diversity of Shiga toxin-encoding bacteriophage insertion sites among *Escherichia coli* O157:H7 isolates from cattle than from humans. *Applied and Environmental Microbiology*. February 2007; 73(3):671-679.
- ² 6. Cho S, Boxrud DJ, Bartkus JM, Whittam TS, Saeed AM. Multiple-locus variable-number tandem repeat analysis of *Salmonella* enteritidis isolates from human and non-human sources using a single multiplex PCR. *FEMS Microbiology Letters*. August 10, 2007; 275(1):16-23.
- ² 7. Eaton KA, Friedman DI, Francis GJ, Tyler JS, Young VB, Haeger J, Abu-Ali G, Whittam TS. Pathogenesis of renal disease due to enterohemorrhagic *Escherichia coli* in germ-free mice. *Infection and Immunity*. July 2008; 76(7): 3054-3063.

¹ Included in 2007 Contract Review

² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Microbiology Research Unit – Michigan State University

- ² 8. Feng PC, Monday SR, Lacher DW, Allison L, Siitonen A, Keys C, Eklund M, Nagano H, Karch H, Keen J, Whittam TS. Genetic diversity among clonal lineages within *Escherichia coli* O157:H7 stepwise evolutionary model. *Emerging Infectious Diseases*. November 2007; 13(11):1701-1706.
- ² 9. Hyma KE, Lacher DW, Nelson AM, Bumbaugh AC, Janda JM, Strockbine NA, Young VB, Whittam TS. Evolutionary genetics of a new pathogenic *Escherichia* species: *Escherichia albertii* and related *Shigella boydii* strains. *Journal of Bacteriology*. January 2005; 187(2):619-628.
- ^{1,2} 10. Lacher DW, Steinsland H, Blank TE, Donnenberg MS, Whittam TS. Molecular evolution of typical enteropathogenic *Escherichia coli*: Clonal analysis by multilocus sequence typing and virulence gene allelic profiling. *Journal of Bacteriology*. January 2007; 189(2): 342-350.
- ^{1,2} 11. Lacher DW, Steinsland H, Whittam TS. Allelic subtyping of the intimin locus (*eae*) of pathogenic *Escherichia coli* by fluorescent RFLP. *FEMS Microbiology Letters*. August 2006; 261(1):80-87.
- ² 12. Manning SD, Madera RT, Schneider W, Dietrich SE, Khalife W, Brown W, Whittam TS, Somsel P, Rudrik JT. Surveillance for Shiga toxin-producing *Escherichia coli* (STEC) in Michigan, 2001-2005. *Emerging Infectious Diseases*. February 2007; 13(2):318-321.
- ² 13. Manning SD, Motiwala AS, Springman AC, Qi W, Lacher DW, Ouellette LM, Mladonicky JM, Somsel P, Rudrik JT, Dietrich SE, Zhang W, Swaminathan B, Alland D, Whittam TS. Variation in virulence among clades of *Escherichia coli* O157:H7 associated with disease outbreaks. *Proc. Natl. Acad. Sci.* March 25, 2008; 105(12):4868-4873.
- ^{1,2} 14. Mansfield LS, Bell JA, Wilson DL, Murphy AJ, Elsheikha HM, Rathinam VA, Fierro BR, Linz JE, Young VB. C57BL/6 and congenic interleukin-10 deficient mice can serve as models of *Campylobacter jejuni* colonization and enteritis. *Infection and Immunity*. March 2006; 75(3):1099-1115.
- ² 15. Mansfield LS, Patterson JS, Fierro BR, Murphy AJ, Rathinam VA, Kopper JJ, Barbu NI, Onifade TJ, Bell JA. Genetic background of IL-10 ^{-/-} mice alters host-pathogen interactions with *Campylobacter jejuni* and influences disease phenotype. *Microbial Pathogenesis*. June 2008; 1-17.
- ^{1,2} 16. Monday SR, Keys C, Hanson P, Shen Y, Whittam TS, Feng P. Produce isolates of the *Escherichia coli* Ont: H52 serotype that carry both Shiga toxin 1 and stable toxin genes. *Applied and Environmental Microbiology*. April 2006; 72(4):3062-3065.
- ^{1,2} 17. Palaniappan RUM, Zhang Y, Chiu D, Torres A, DebRoy C, Whittam TS, Chang YF. Differentiation of *Escherichia coli* pathotypes by oligonucleotide spotted array. *Journal of Clinical Microbiology*. April 2006; 44(4):1495-1501.
18. Rathinam VA, Hoag KA, Mansfield LS. Dendritic cells from C57BL/6 mice undergo activation and induce Th1-effector cell responses against *Campylobacter jejuni*. *Microbes Infect.* August 2008; Epub ahead of print.

¹ Included in 2007 Contract Review² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Microbiology Research Unit – Michigan State University

- ² 19. Riordan JT, Viswanath SB, Manning SD, Whittam TS. Genetic differentiation of *Escherichia coli* O157:H7 clades associated with human disease by real-time PCR. *Journal of Clinical Microbiology*. June 2008; 46(6):2070.
- ^{1,2} 20. Saeed AM, Walk ST, Arshad MM, Whittam TS. Clonal structure and variation in virulence of *Salmonella* enteritidis isolated from mice, chickens, and humans. *Journal of AOAC International*. March-April 2006; 89(2):504-511.
- ² 21. Tarr CL, Nelson AM, Beutin L, Olsen KE, Whittam TS. Molecular characterization reveals similar clonal groups of *Escherichia coli* of serogroup O174 (OX3). *Journal of Bacteriology*. February 2008; 190(4):1344-1349.
- ² 22. Wick LM, Qi W, Lacher DW, Whittam TS. Evolution of genomic content in the stepwise emergence of *Escherichia coli* O157:H7. *Journal of Bacteriology*. March 2005; 187(5):1783-1791.
- ² 23. Younus MW, Hartwick E, Siddiqi AA, Wilkins MJ, Davies HD, Rahbar M, Funk J, Saeed AM. The role of neighborhood level socioeconomic characteristics in *Salmonella* infections in Michigan (1997-2007): Assessment using geographic information system. *International Journal of Health Geographics*. December 2007; 6(1):56.
- ^{1,2} 24. Younus MW, Wilkins MJ, Arshad MM, Rahbar MH, Saeed AM. Demographic risk factors and incidence of *Salmonella* enteritidis infection in Michigan. *Foodborne Pathogens and Disease*. September 2006; 3(3):266-273.
- ^{1,2} 25. Zhang W, Qi W, Albert TJ, Motiwala AS, Alland D, Hyytia-Trees EK, Ribot EM, Fields PI, Whittam TS, Swaminathan B. Probing genomic diversity and evolution of *Escherichia coli* O157 by single-nucleotide polymorphisms. *Genomic Research*. June 2006; 16(6):757-767.
- ² 26. Ziebell K, Konczyk P, Yong I, Frost S, Mascarenhas M, Kropinski AM, Whittam TS, Read SC, Karmalil MA. Applicability of phylogenetic methods for characterizing the public health significance of verocytotoxin-producing *Escherichia coli* strains. *Applied. Environ. Microbiol.* March 2008; 74(5):1671-1675.

Microbiology & Botulism Research Unit – Tufts University

Publications:

- ^{1,2} 1. Berrada ZL, Goethert HK, Telford SR III. Raccoons and skunks as sentinels for enzootic tularemia. *Emerging Infectious Diseases*. June 2006; 12(6):1019-1021.
- ^{1,2} 2. Boldt GE, Kennedy JP, Hixon MS, McAllister LA, Barbieri JT, Tzipori S, Janda KD. Synthesis, characterization and development of a high-throughput methodology for the discovery of botulinum neurotoxin A inhibitors. *Journal of Combinatorial Chemistry*. July 2006; 8(4):513-521.

¹ Included in 2007 Contract Review

² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Microbiology & Botulism Research Unit – Tufts University

- ^{1,2} 3. Boldt GE, Eubanks LM, Janda KD. Identification of a botulinum neurotoxin A protease inhibitor displaying efficacy in a cellular model. *Chemical Communications*. August 7, 2006; (29):3063-3065.
- ^{1,2} 4. Boldt GE, Kennedy JP, Janda KD. Identification of a potent botulinum neurotoxin protease inhibitor using *in situ* lead identification chemistry. *Organic Letters*. April 13, 2006; 8(8):1729-1732.
- ² 5. Brown DW, Gunning KB, Henry DM, Awdeh ZL, Brinker JP, Tzipori S, Herrmann JE. A DNA oligonucleotide microarray for detecting human astrovirus serotypes. *Journal of Virological Methods*. Jan 2008; 147 (1):86-92.
- ² 6. Chang T, Mello CM, Cai S, Singh BR. Development and screening of RNA aptamers for type A botulinum neurotoxin light chain by using surface plasmon resonance. *34th Annual Northeast Bioengineering Conference Proceedings*. 2008; 49-50.
- ^{1,2} 7. Eubanks LM, Hixon MS, Jin W, Hong S, Clancy CM, Tepp WH, Baldwin MR, Malizio CJ, Goodnough MC, Barbieri JT, Johnson EA, Boger DL, Dickerson TJ, Janda KD. An *in vitro* and *in vivo* disconnect uncovered through high-throughput identification of botulinum neurotoxin A antagonists. *Proceedings of the National Academy of Sciences of the United States of America*. February 20, 2007; 104(8):2602-2607.
- ² 8. Krautz-Peterson G, Chapman-Bonofiglio S, Boisvert K, Feng H, Herman IM, Tzipori S, Sheoran AS. Intracellular neutralization of Shiga toxin 2 by an a subunit-specific human monoclonal antibody. *Infect Immun*. 2008 May; 76(5): 1931-1909.
- ² 9. Maass DR, Sepulveda J, Pernthaner A, Shoemaker CB. Alpaca (*Lama pacos*) as a convenient source of recombinant camelid heavy chain antibodies (VHHs). *Journal of Immunological Methods*. July 31, 2007; 324:13-25.
- ² 10. Matyas B, Nieder HS, Telford SR. Pneumonic tularemia on Martha's Vineyard: Clinical, epidemiologic, and ecological characteristics. *Annals of the New York Academy of Sciences*. June 2007; 1105:351-377.
- ² 11. Schnolzer M, Alewood P, Jones A, Alewood D, Kent SB. *In situ* neutralization in Boc-chemistry solid phase peptide synthesis. Rapid, high yield assembly of difficult sequences. *International Journal of Peptide Protein Research*. Sep-Oct 1992; 40(3-4): 180-193.
- ² 12. Silvaggi NR, Boldt GE, Hixon M, Tzipori S, Janda KD, Allen KN. Structures of *Clostridium botulinum* neurotoxin serotype A complexed with small molecule inhibitors highlights active-site flexibility. *Chemistry and Biology*. May 2007; 14(5):533-542.
- ² 13. Silvaggi NR, Wilson, DM, Tzipori S., Allen KN. Catalytic features of the botulinum neurotoxin A light chain revealed by high resolution structures of an inhibitory peptide complex. *Biochemistry*. May 2008; 47 (21):5736-5745.
- ² 14. Zhou Y, Singh BR. Cloning, high-level expression, single-step purification, and binding activity of His(6)-tagged recombinant type B botulinum neurotoxin heavy chain transmembrane and binding domain. *Protein Expression and Purification*. 2004; 34: 8-16.

¹ Included in 2007 Contract Review² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Zoonoses Research Unit – Cornell University

Publications:

- ^{1,2} 1. Alcaine SD, Soyer Y, Warnick LD, Su W-L, Sukhnanand SS, Richards J, Fortes ED, McDonough P, Root TP, Dumas NB, Gröhn Y, Wiedmann M. Multilocus sequence typing supports the hypothesis that cow- and human- associated *Salmonella* isolates represent distinct and overlapping populations. *Applied and Environmental Microbiology*. December 2006; 72(12):7575-7585.
- ^{1,2} 2. Alcaine SD, Warnick LD, Wiedmann M. Antimicrobial resistance in nontyphoidal *Salmonella*. *Journal of Food Protection*. March 2007; 70(3):780-790.
- ² 3. Davis MA, Besser TE, Eckmann K, MacDonald JK, Green D, Hancock DD, Baker KNK, Warnick LD, Soyer Y, Wiedmann M, Call DR. Emerging multi-drug resistant strain of *Salmonella enterica* serovar Typhimurium in the pacific northwest United States. *Emerging Infectious Diseases*. April 2007; 13:1583-1586.
- ² 4. Huang Y, Suyemoto M, Garner CD, Altier C. Formate acts as a diffusible signal to induce *Salmonella* invasion. *J. Bacteriol.* 2008; 190(12):4233-4241.
- ² 5. Ku YW, McDonough SP, Palaniappan RUM, Chang CF, Chang YF. Novel attenuated *Salmonella enterica* serovar Cholereausis strains as live vaccine candidates generated by signature-tagged mutagenesis. *Infection and Immunity*. December 2005; 73(12):8194-8203.
- ² 6. Lanzas C, Brien S, Ivanek R, Lo Y, Chapagain P, Ayscue P, Warnick LD, Gröhn YT. The effect of heterogenous infectious period and contagiousness on the dynamics of *Salmonella* transmission in dairy cattle. *Epidemiology and Infections*. 2008; 16:1-15.
- ^{1,2} 7. Palaniappan RUM, Zhang Y, Chiu D, Torres A, DebRoy C, Whittam TS, Chang YF. Differentiation of *Escherichia coli* pathotypes by oligonucleotide spotted array. *Journal of Clinical Microbiology*. April 2006; 44(4):1495-1501.
- ^{1,2} 8. Ray KA, Warnick LD, Mitchell RM, Kaneene JB, Ruegg PL, Wells SJ, Fossler CP, Halbert LW, May K. Prevalence of antimicrobial resistance among *Salmonella* on midwest and northeast USA dairy farms. *Prev. Vet. Med.* 2007; 79(2-4):204-223.
- ² 9. Ray KA. Epidemiology of antimicrobial resistant *Salmonella* on dairy farms in the northeast and midwest USA. *PhD Thesis: Population Medicine and Diagnostic Sciences*. Cornell University. Ithaca, NY. 2006.
- ^{1,2} 10. Scaria J, Palaniappan RU, Chiu D, Phan JA, Pannala L, McDonough P, Gröhn YT, Porwallik S, McClelland M, Chiou CS, Chu C, Chang YF. Microarray for molecular typing of *Salmonella enterica* serovar. *Mol. Cell. Probes*. 2008; 22(4):238-243.
- ² 11. Sukhnanand S, Alcaine SD, Su W, Hof J, Craver MPJ, Warnick LD, McDonough PL, Boor KJ, Wiedmann M. DNA sequence-based subtyping and evolutionary analysis of selected *Salmonella enterica* serotypes. *Journal of Clinical Microbiology*. August 2005; 43(8):3688-3698.

¹ Included in 2007 Contract Review² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Zoonoses Research Unit – Cornell University

- ^{1,2} 12. Yu CY, Chou SJ, Chao MR, Huang KC, Yeh CM, Chang YF, Chiou CS, Weill FX, Chiu CH, Chu CS. Prevalence and characterization of multiple-resistant (type ASSuT) *Salmonella enterica* serovar Typhimrium strains in isolates from four gosling farms and a hatchery farm. *Journal of Clinical Microbiology*. 2008; 46(2):522-526.

Zoonoses Research Unit – Washington State University

Publications:

- ^{1,2} 1. Besser TE, Shaikh N, Holt NJ, Tarr PI, Konkel ME, Malik-Kale P, Whittam T, Bono J. Greater diversity of Shiga toxin-encoding bacteriophage insertion sites among *Escherichia coli* O157:H7 isolates from cattle than in those from humans. *Applied and Environmental Epidemiology*. February 2007; 73(3):671-679.
- ² 2. Borucki MK, Reynolds J, Call DR, Ward T, Page B, Kadushin J. suspension microarray with dendrimer signal amplification allows direct and high throughput subtyping of *Listeria monocytogenes* from genomic DNA. *Journal of Clinical Microbiology*. July 2005; 43(7):3255-3259.
- ² 3. Call DR. Challenges and opportunities for pathogen detection using DNA microarrays. *Critical Reviews in Microbiology*. 2005; 31(2):91-99.
- ^{1,2} 4. Call DR, Kang MS, Daniels J, Besser TE. Assessing genetic diversity in plasmids from *Escherichia coli* and *Salmonella enterica* using a mixed-plasmid microarray. *Journal of Applied Microbiology*. January 2006; 100(1):15-28.
- ² 5. Cobbold RN, Davis MA, Rice DH, Szymanski M, Tarr PI, Besser TE, Hancock DD. Associations between bovine, human, and raw milk and beef isolates of non-O157 shiga toxigenic *Escherichia coli* within a restricted geographic area of the USA. *J. Food Prot.* 2008 May; 71 (5): 1023-1027.
- ² 6. Davis MA, Besser TE, Eckmann K, MacDonald JK, Green D, Hancock DD, Baker K, Warnick LD, Soyer Y, Wiedmann W, Call DR. Multidrug-resistant *Salmonella* Typhimurium, Pacific Northwest, United States. *Emerging Infectious Diseases*. 2007; 13(10) 1583-1586.
- ^{1,2} 7. Davis MA, Hancock DD, Besser TE, Daniels JB, Baker K, Call DR. Antimicrobial resistance in *Salmonella enterica* serovar Dublin isolates from beef and dairy sources. *Veterinary Microbiology*. January 2007; 119:221-230.
- ² 8. Dunowska M, Morley PS, Traub-Dargatz JL, Davis MA, Patterson G, Frye JG, Hyatt DR, Dargatz DA. Comparison of *Salmonella enterica* serotype Infantis isolates from a veterinary teaching hospital. *Journal of Applied Microbiology*. June 2007; 102(6): 1527-1536.

¹ Included in 2007 Contract Review

² Included in 2008 Contract Review



COMPLETE NETWORK BIBLIOGRAPHY

Zoonoses Research Unit – Washington State University

- ² 9. Frank DN, St. Amand AL, Feldman RA, Boedeker EC, Harpaz N, Pace NR. Molecular-phylogenetic characterization of microbial community imbalances in human inflammatory bowel diseases. *Proceedings of the National Academy of Sciences*. August 21, 2007; 104(34):13780-13785.
- ² 10. Kang MS, Besser TE, Call DR. Identification of genetic elements in *Escherichia coli* and *Salmonella enterica* plasmids that confer *bla*_{CMY-2} mediated resistance to expanded-spectrum cephalosporins. *Antimicrobial Agents and Chemotherapy*. 2005; 50:1590-1593.
- ² 11. Kang MS, Besser TE, Call DR. Variability in the region downstream of the *bla*_{CMY-2} β -lactamase gene in *Escherichia coli* and *Salmonella enterica* plasmids. *Antimicrobial Agents and Chemotherapy*. April 2006; 50(4):1590-1593.
- ^{1,2} 12. Kang MS, Besser TE, Hancock DD, Call DR. Multiple environmental stress tests show no common phenotypes shared amongst contemporary epidemic strains of *Salmonella enterica*. *Applied and Environmental Microbiology*. May 2007; 73(9): 3101-3104.
- ^{1,2} 13. Kang MS, Besser TE, Hancock DD, Porwollik S, McClelland M, Call DR. Identification of specific gene sequences conserved in contemporary and epidemic strains of *Salmonella enterica*. *Applied and Environmental Microbiology*. November 2006; 72(11):6938-6947.

¹ Included in 2007 Contract Review

² Included in 2008 Contract Review